GENERAL INDEX

A

Abbe, E. C., The inflorescence and flower in male Myrica esculenta var. farquhariana 206
Abscission, of stem in Phaseolus vulgaris explants 292
Acacia farnesiana, stem orientation 368
Acclimation, temperature, in orchard grass 120
Acid production, in Hansenula anomala 1
Adaptive mechanisms, for aeration in trees 443
Adventitious rooting, in vitro, in Convolvulus sepium 325
Aeration, in tree species 304, 443
Aerial shoot, apex in grasses 165
Agrobacterium tumefaciens, cellular transformation 318
Agropyron, hybrids with Elymus 57, 436
Alar, effect on boron-deficient Tagetes erecta 135
Allometry, and development of flower organs 184
Anand, V. K., Effect of morphactin on rooting and sprouting of buds on stem cuttings of Salix tetrasperma 361
Anatomy: of foliar nectaries of Pithecellobium macradenium 38; systematic, of Fimbristylis 87; of inflorescence and flower of male Myrica esculenta 206; of vessels in the Cyperaceae 214; of secondary xylem in the Violaceae 230; of xylem in Linum 242; of changes during abscission in Phaseolus vulgaris 292
Apical dominance, in Marchantia polymorpha 177
Autofertility, in Lupinus nanus 155
Avena sativa, root and root hair growth in relation to calcium 29
Aziz, Parveen, Histogenesis of the carpel in Triticum aestivum L. 376

B

Bacterium, *see* Agrobacterium tumefaciens
Badr, Sayed A., Flowering response of the olive (Olea europaea L.) to certain growth regulators applied under inductive and noninductive environments 387
Bailey, G. W., Vegetative branching in Thalassia testudinum (Hydrocharitaceae)—a correction 43
Baker, Barton S., Growth and metabolic changes occurring in orchard grass during temperature acclimation 120
Bayer, David E., The effect of trifluralin on the growth and development of cotton and safflower roots 96
Berlyn, Graeme P., John E. Sass 85
Best, K. F., Studies on the flowering of Thlaspi arvense L. 1. The influence of some environmental and genetic factors 454
Black, C. B., The evolutionary origin of Talinum teretifolium Pursh 405
Boron: determination in water, nutrient media, and Chlorella 103; deficiency, and effect of alar on Tagetes erecta 135
Botrychium dissectum, gametophyte, in culture 336
Branching, vegetative, in Thalassia testudinum 43
Brassica napus, effects of cold hardening and CCC treatment on hydration and frost and desiccation hardiness 355
Briggs, Winslow R., Internodal growth in localized darkness 270
Brown, Claud L., Permeability of the cambium to air in trees adapted to wet habitats 304; Aeration in trees 443
Bryophytes, terrestrial, cesium-137 accumulation 107
Bud, development on stem cuttings of Salix tetrasperma 361

C

Calcium: effect on root and root hair growth 29; retention, with freeze-substitution additives 263
Callus, of Pteridium aquilinum gametophyte 287
Cambium: permeability to air in trees adapted to wet habitats 304; stochastic model for cambial activity 410; aeration 443
Caponetti, James D., Morphogenetic studies on excised leaves of Osmunda cinnamomea: developmental capabilities of excised leaf primordial apices in sterile culture 331; Morphogenetic studies on excised leaves of Osmunda cinnamomea: morphological and histological effects of sucrose in sterile nutrient culture 421
Carbohydrate: in orchard grass during temperature acclimation 120; and frond primordia of Osmunda cinnamomea 421
Carpel, histogenesis in Triticum aestivum 376
Carthemus tinctoris, effect of trifluralin on roots 96
CCC, *see* 2-chloroethyl-trimethylammonium chloride
Cellular transformation, by RNA from Agrobacterium tumefaciens 318
Ceratopteris, control of marginal leaf meristem growth 299
Cesium-137, accumulation by cryptogams 107
Cheadle, Vernon I., Vessels in the Cyperaceae 214
Chenopodium rubrum, effect of defoliation, hypocotyl, and root removal on development and flowering 341
Chlorella, boron determination 103
2-Chloroethyl-trimethylammonium chloride, effects on hydration and frost and desiccation hardiness 355
Chloroplasts, of Nicotiana tabacum 401
Chorney, William, Determination of boron in water, nutrient media, and Chlorella cells 103
Cold hardening, effects on hydration and frost and desiccation hardiness 355
Convolvulus sepium, adventitious rooting in vitro 325
Cortical bundles, in monocot stems 141
Cotton, *see* Gossypium hirsutum
Cotyledon, removal, effect on Chenopodium rubrum 341
Cryptogams, accumulation of cesium-137 107
Culture: of sweet potato explants 254; of gametophytic callus and tumor of Pteridium aquilinum 287; of excised leaf meristems of Ceratopteris 299; of fern gametophytes 311; of Convolvulus sepium 325; of excised leaf primordial apices of Osmunda cinnamomea 331; of Botrychium dissectum gametophytes 336; of excised stem tips of Chenopodium rubrum 341; of pollinated pistils of Nicotiana rustica 350; of excised frond primordia of Osmunda cinnamomea 421
Cyperaceae: systematic anatomy of Fimbristylis 87; vessels 214
Cytogenetics: of Elymus 51, 57, 415, 436; of Talinum 405

D

Dactylis glomerata, temperature acclimation 120
Darkness, effect on Helianthus annuus internode 270
Daubenmire, R., Standing crops and primary production in savanna derived from semi-deciduous forest in Costa Rica 395
Davidonis, G. H., Apical dominance in Marchantia: correlative inhibition of neighbor lobe growth 177
Davis, Jerry D., P-protein bodies in phloem parenchyma cells of Parthenocissus and Vitis 64
de Fossard, R. A., The effect of defoliation, and hypocotyl and root removal, on development and flowering of Chenopodium rubrum L. 341
DeMaggio, A. E., Induced vascular tissue differentiation in fern gametophytes 311

GENERAL INDEX

A

Abbe, E. C., The inflorescence and flower in male Myrica esculenta var. farquhariana 206
Abscission, of stem in Phaseolus vulgaris explants 292
Acacia farnesiana, stem orientation 368
Acclimation, temperature, in orchard grass 120
Acid production, in Hansenula anomala 1
Adaptive mechanisms, for aeration in trees 443
Adventitious rooting, in vitro, in Convolvulus sepium 325
Aeration, in tree species 304, 443
Aerial shoot, apex in grasses 165
Agrobacterium tumefaciens, cellular transformation 318
Agropyron, hybrids with Elymus 57, 436
Alar, effect on boron-deficient Tagetes erecta 135
Allometry, and development of flower organs 184
Anand, V. K., Effect of morphactin on rooting and sprouting of buds on stem cuttings of Salix tetrasperma 361
Anatomy: of foliar nectaries of Pithecellobium macradenium 38; systematic, of Fimbristylis 87; of inflorescence and flower of male Myrica esculenta 206; of vessels in the Cyperaceae 214; of secondary xylem in the Violaceae 230; of xylem in Linum 242; of changes during abscission in Phaseolus vulgaris 292
Apical dominance, in Marchantia polymorpha 177
Autofertility, in Lupinus nanus 155
Avena sativa, root and root hair growth in relation to calcium 29
Aziz, Parveen, Histogenesis of the carpel in Triticum aestivum L. 376

B

Bacterium, *see* Agrobacterium tumefaciens
Badr, Sayed A., Flowering response of the olive (Olea europaea L.) to certain growth regulators applied under inductive and noninductive environments 387
Bailey, G. W., Vegetative branching in Thalassia testudinum (Hydrocharitaceae)—a correction 43
Baker, Barton S., Growth and metabolic changes occurring in orchard grass during temperature acclimation 120
Bayer, David E., The effect of trifluralin on the growth and development of cotton and safflower roots 96
Berlyn, Graeme P., John E. Sass 85
Best, K. F., Studies on the flowering of Thlaspi arvense L. 1. The influence of some environmental and genetic factors 454
Black, C. B., The evolutionary origin of Talinum teretifolium Pursh 405
Boron: determination in water, nutrient media, and Chlorella 103; deficiency, and effect of alar on Tagetes erecta 135
Botrychium dissectum, gametophyte, in culture 336
Branching, vegetative, in Thalassia testudinum 43
Brassica napus, effects of cold hardening and CCC treatment on hydration and frost and desiccation hardiness 355
Briggs, Winslow R., Internodal growth in localized darkness 270
Brown, Claud L., Permeability of the cambium to air in trees adapted to wet habitats 304; Aeration in trees 443
Bryophytes, terrestrial, cesium-137 accumulation 107
Bud, development on stem cuttings of Salix tetrasperma 361

C

Calcium: effect on root and root hair growth 29; retention, with freeze-substitution additives 263
Callus, of Pteridium aquilinum gametophyte 287
Cambium: permeability to air in trees adapted to wet habitats 304; stochastic model for cambial activity 410; aeration 443
Caponetti, James D., Morphogenetic studies on excised leaves of Osmunda cinnamomea: developmental capabilities of excised leaf primordial apices in sterile culture 331; Morphogenetic studies on excised leaves of Osmunda cinnamomea: morphological and histological effects of sucrose in sterile nutrient culture 421
Carbohydrate: in orchard grass during temperature acclimation 120; and frond primordia of Osmunda cinnamomea 421
Carpel, histogenesis in Triticum aestivum 376
Carthemus tinctoris, effect of trifluralin on roots 96
CCC, *see* 2-chloroethyl-trimethylammonium chloride
Cellular transformation, by RNA from Agrobacterium tumefaciens 318
Ceratopteris, control of marginal leaf meristem growth 299
Cesium-137, accumulation by cryptogams 107
Cheadle, Vernon I., Vessels in the Cyperaceae 214
Chenopodium rubrum, effect of defoliation, hypocotyl, and root removal on development and flowering 341
Chlorella, boron determination 103
2-Chloroethyl-trimethylammonium chloride, effects on hydration and frost and desiccation hardiness 355
Chloroplasts, of Nicotiana tabacum 401
Chorney, William, Determination of boron in water, nutrient media, and Chlorella cells 103
Cold hardening, effects on hydration and frost and desiccation hardiness 355
Convolvulus sepium, adventitious rooting in vitro 325
Cortical bundles, in monocot stems 141
Cotton, *see* Gossypium hirsutum
Cotyledon, removal, effect on Chenopodium rubrum 341
Cryptogams, accumulation of cesium-137 107
Culture: of sweet potato explants 254; of gametophytic callus and tumor of Pteridium aquilinum 287; of excised leaf meristems of Ceratopteris 299; of fern gametophytes 311; of Convolvulus sepium 325; of excised leaf primordial apices of Osmunda cinnamomea 331; of Botrychium dissectum gametophytes 336; of excised stem tips of Chenopodium rubrum 341; of pollinated pistils of Nicotiana rustica 350; of excised frond primordia of Osmunda cinnamomea 421
Cyperaceae: systematic anatomy of Fimbristylis 87; vessels 214
Cytogenetics: of Elymus 51, 57, 415, 436; of Talinum 405

D

Dactylis glomerata, temperature acclimation 120
Darkness, effect on Helianthus annuus internode 270
Daubenmire, R., Standing crops and primary production in savanna derived from semi-deciduous forest in Costa Rica 395
Davidonis, G. H., Apical dominance in Marchantia: correlative inhibition of neighbor lobe growth 177
Davis, Jerry D., P-protein bodies in phloem parenchyma cells of Parthenocissus and Vitis 64
de Fossard, R. A., The effect of defoliation, and hypocotyl and root removal, on development and flowering of Chenopodium rubrum L. 341
DeMaggio, A. E., Induced vascular tissue differentiation in fern gametophytes 311

Desiccation hardiness, effects of cold hardening and CCC treatment 355
Development: of seed and seed fiber in Gossypium 7; of vegetative branches in Thalassia testudinum 43; of flower parts of Triticum aestivum 78; of cotton and safflower roots treated with trifluralin 96; of vascular system in monocot stems 141; of rhizomes and aerial shoots in grasses 165; of Marchantia polymorpha 177; of flower organs of Nigella damascena and Lycopersicon esculentum 184; of Hieracium treated with gibberellin 190; of roots in IAA-treated Phleum pratense 224; of roots and shoots in sweet potato explants 254; of Helianthus annuus internode in localized darkness 270; of vascular tissue in Geum chiloense 276; of gametophytic callus and tumor of Pteridium aquilinum 287; of abscission zones in Phaseolus vulgaris explants 292; of Ceratopteris leaf 299; of vascular tissue in fern gametophytes 311; of roots in Convolvulus sepium in vitro 325; of excised leaf primordial apices of Osmunda cinnamomea 331; of Botrychium dissectum gametophytes in culture 336; of Chenopodium rubrum in culture 341; of pollinated pistils of Nicotiana rustica in vitro 350; of roots and buds in morphactin-treated Salix tetrasperma stems 361; of grass gynoecium 376; flowering response of Olea europaea to growth regulators 387; stochastic model for cambial activity 410; of excised frond primordia of Osmunda cinnamomea 421; flowering in Thlaspi arvense 454
Dewey, Douglas R., Cytogenetics of tetraploid Elymus cinereus, E. triticoides, E. multicaulis, E. karataviensis, and their F_1 hybrids 51; Cytogenetics of Elymus angustus and its hybrids with Elymus giganteus, Elymus cinereus, and Agropyron repens 57; Genome analysis of hybrids between diploid Elymus junceus and five tetraploid Elymus species 415; Genome analysis of South American Elymus patagonicus and its hybrids with two North American and two Asian Agropyron species 436
Dicotyledon, stem vascular system (compared with monocot stem) 141
Differentiation: of vascular tissue in Geum chiloense 276; of vascular tissue in fern gametophytes 311
Drinkwater, W. O., Root and shoot initiation in sweet potato explants as related to polarity and nutrient media variations 254
Dubey, H. D., New records of tropical legume nodulation 35

E

Ecology, of Costa Rican savanna 395
Egierszdorff, Stefania, Effects of cold hardening and CCC treatment on hydration and frost and desiccation hardiness of plant tissues 355
Electron microprobe analysis, of silicon and other elements in rice leaf epidermis 66
Electron microscopy, of pseudocrystalline bodies 401; *see also* X-ray analytical electron microscopy
Elias, Thomas S., Morphology and anatomy of foliar nectaries of Pithecellobium macradenium (Leguminosae) 38
Elymus, cytogenetics 51, 57, 415, 436
Embryo, development in Gossypium 7
Embryology, of Gossypium 7
Endosperm, of Gossypium 7
Environment: water stress in salt cedar 73; effects on stem orientation in Acacia farnesiana 368; and flowering response to growth regulators in Olea europaea 387; effects on flowering of Thlaspi arvense 454
Epidermis, silicon and other elements in rice leaf epidermis 66
Ethylene, and stem and petiole abscission in Phaseolus vulgaris 292
Evert, Ray F., P-protein bodies in phloem parenchyma cells of Parthenocissus and Vitis 64
Evolutionary origin, of Talinum teretifolium 405

F

Fertilization, in Gossypium 7
Fibrous bundles, in monocot stems 141
Fimbristylis, systematic anatomy 87
Fisher, John E., The transformation of stamens to ovaries and of ovaries to inflorescences in Triticum aestivum L. under short-day treatment 78
Flower: transformation of flower parts in Triticum aestivum 78; of male sterile Hirschfeldia incana 127; of Lupinus nanus 155; flower organs of Nigella damascena and Lycopersicon esculentum 184; in male Myrica esculenta 206
Flowering: of Chenopodium rubrum in culture 341; induction in Olea europaea 387; of Thlaspi arvense 454
Forest diseases, of slash pine 26
Forest management, of slash pine 26
Freeze substitution additives, for sodium and calcium retention 263
Frost hardiness, effects of cold hardening and CCC treatment 355
Fruit, growth, in culture of Nicotiana rustica 350

G

Galil, J., Gynodioecism in East Mediterranean Hirschfeldia incana. Cruciferae 127
Gametophyte: callus and tumor tissues of Pteridium aquilinum 287; of ferns, induced vascular differentiation 311; of Botrychium dissectum in culture 336
Garrison, Rhoda, Internodal growth in localized darkness 270
Gas exchange, in tree species 304, 443
Genetic factors, influence on flowering of Thlaspi arvense 454
Genetics, of Lupinus 155
Genome: of Elymus species 51, of Elymus angustus and its hybrids 57; analysis, of Elymus hybrids 415; analysis, of Elymus patagonicus and its hybrids with Agropyron 436
Geum chiloense, vascular differentiation 276
Gibberellic acid, effect on Hieracium 190; and flowering of cultured Chenopodium rubrum 341
Glycolysis, in Hansenula anomala 1
Goodwin, Richard H., Studies on roots. V. Effects of indoleacetic acid on the standard root growth pattern of Phleum pratense 224
Gossypium: experimental embryology 7; effect of trifluralin on Gossypium hirsutum roots 96
Gottlieb, Joan Eiger, Control of marginal leaf meristem growth in the aquatic fern, Ceratopteris 299
Gramineae, apical architecture 165
Greyson, Richard I., Initiation and early growth of flower organs of Nigella and Lycopersicon: insights from allometry 184
Growth: of Hansenula anomala 1; of pollen tube in Gossypium 7; of root and root hairs in relation to calcium 29; of vegetative branches in Thalassia testudinum 43; of cotton and safflower roots treated with trifluralin 96; of orchard grass during temperature acclimation 120; of rhizomes and aerial shoots in grasses 165; of Marchantia polymorpha 177; of flower organs of Nigella damascena and Lycopersicon esculentum 184; of Hiera-

cium treated with gibberellin 190; of Phleum pratense roots treated with IAA 224; of roots and shoots in sweet potato explants 254; of Helianthus annuus internode in localized darkness 270; of gametophytic callus and tumor of Pteridium aquilinum 287; of marginal leaf meristem of Ceratopteris 299; of excised frond primordial apices of Osmunda cinnamomea 331; of Botrychium dissectum gametophytes in culture 336; of Chenopodium rubrum in culture 341; of fruit in Nicotiana rustica 350; of roots and branches of Salix tetrasperma 361; of Acacia farnesiana stems 368; response of Olea europaea to growth regulators 387; of excised frond primordia of Osmunda cinnamomea 421; and flowering of Thlaspi arvense 454
Growth substances: in Marchantia polymorpha 177; effects on sweet potato explants 254; effects on tumor tissue of Pteridium aquilinum gametophytes 287; effects on stem and petiole abscission in Phaseolus vulgaris explants 292; effects on excised leaf meristems of Ceratopteris 299; and vascular differentiation in fern gametophytes 311; and adventitious rooting in Convolvulus sepium in vitro 325; auxin antagonism to morphactin in Salix tetrasperma stem cuttings 361; effects on flowering response in Olea europaea 387; *see also* CCC, ethylene, gibberellic acid, IAA, morphactin, NAA, trifluralin
Gunckel, J. E., Root and shoot initiation in sweet potato explants as related to polarity and nutrient media variations 254
Gynodioecism, in Hirschfeldia incana 127

H

Hannon, Nola J., Stem orientation in two populations of Acacia farnesiana from Mexico under controlled environmental conditions 368
Hansen, David D., Water stress in krummholz, Wasatch Mountains, Utah 392
Hansenula anomala, metabolic pathways in acid production 1
Harding, James, Genetics of Lupinus. V. Intraspecific variability for reproductive traits in Lupinus nanus 155
Hartmann, Hudson T., Flowering response of the olive (Olea europaea L.) to certain growth regulators applied under inductive and noninductive environments 387
Heimsch, Charles, Xylem studies in the Linaceae 242
Helianthus annuus, internodal growth in localized darkness 270
Hieracium, effect of two gibberellins 190
Hirschfeldia incana, gynodioecism 127
Histogenesis, of carpel in Triticum aestivum 376
Hoffman, George R., The accumulation of cesium-137 by cryptogams in a Liriodendron tulipifera forest 107
Honey guide marking, in Lupinus nanus 155
Hook, Donal D., Permeability of the cambium to air in trees adapted to wet habitats 304; Aeration in trees 443
Horovitz, A., Gynodioecism in East Mediterranean Hirschfeldia incana. Cruciferae 127; Genetics of Lupinus. V. Intraspecific variability for reproductive traits in Lupinus nanus 155
Howard, R. A., A stochastic model for cambial activity 410
Hybrids: of Elymus 51, 57, 415, 436; of Talinum 405
Hydration, effects of cold hardening and CCC treatment 355
Hyparrhenia rufa, in studies on standing crops and primary production in savanna 395
Hypocotyl, removal, effect on Chenopodium rubrum 341

I

IAA, *see* indole-3-acetic acid
Indole-3-acetic acid: and apical dominance in Marchantia polymorpha 177; effects on root growth of Phleum pratense 224; effect on vascular differentiation in Geum chiloense 276
Inflorescence: transformation from ovaries in Triticum aestivum 78; in male Myrica esculenta 206
Inhibition, and apical dominance in Marchantia polymorpha 177
Internode, growth in localized darkness in Helianthus annuus 270
Introgression, among three Elymus species 57
Ipomoea batatas, root and shoot initiation in explants 254

J

Jones, Richard A., Electron microprobe analysis of the distribution of silicon and other elements in rice leaf epidermis 66
Jung, G. A., Growth and metabolic changes occurring in orchard grass during temperature acclimation 120

K

Kacperska-Palacz, Alina, Effects of cold hardening and CCC treatment on hydration and frost and desiccation hardiness of plant tissues 355
Kaufman, Peter B., Electron microprobe analysis of the distribution of silicon and other elements in rice leaf epidermis 66
Klikoff, Lionel G., Water stress in krummholz, Wasatch Mountains, Utah 392
Knecht, George N., The effect of light intensity on stomate number and density of Phaseolus vulgaris L. leaves 132
Kochhar, V. K. Effect of morphactin on rooting and sprouting of buds on stem cuttings of Salix tetrasperma 361
Kosakai, Hatsume, Vessels in the Cyperaceae 214
Krummholz, and water stress 392

L

Leaf: epidermis, distribution of silicon and other elements, in rice 66; effect of light intensity on stomates in Phaseolus vulgaris leaves 132; leaf primordia in aerial shoot and rhizome apices in grasses 165; influence on vascular differentiation in Geum chiloense 276; meristem, in Ceratopteris, and control of development 299; development of excised leaf primordial apices of Osmunda cinnamomea 331; excised, of Osmunda cinnamomea 421
Legume, tropical legume nodulation 35
Leonia, systematic position 230
Leopold, A. Carl, Stem abscission in Phaseolus vulgaris explants 292
Lichens, canopy and epiphytic, cesium-137 accumulation 107
Light: photoperiodic effects on Triticum aestivum 78; intensity, effect on stomates in Phaseolus vulgaris leaves 132; response in Helianthus annuus internode 270; effects on stem orientation in Acacia farnesiana 368; intensity, and flowering of Thlaspi arvense 454; *see also* Photoperiod
Linaceae, xylem 242
Linum, xylem 242
Liriodendron tulipifera, accumulation of cesium-137 by cryptogams 107
Lupinus nanus, intraspecific variability for reproductive traits 155
Lycopersicon esculentum: flower organs 184; in freeze-substitution studies 263

M

McArthur, I. C. S., An experimental study of vascular differentiation in Geum chiloense Balbis 276

McBride, Landy, Determination of boron in water, nutrient media, and Chlorella cells 103
McConnell, Dennis, Effect of alar on boron-deficient Tagetes erecta L. 135
McIntyre, G. I., Studies on the flowering of Thlaspi arvense L. 1. The influence of some environmental and genetic factors 454
McMillan, Calvin, Stem orientation in two populations of Acacia farnesiana from Mexico under controlled environmental conditions 368
Mallory, Thomas E., The effect of trifluralin on the growth and development of cotton and safflower roots 96
Mannitol, effects of excised frond primordia of Osmunda cinnamomea 421
Marchantia polymorpha, apical dominance 177
Mehra, P. N., Systematic anatomy of Fimbristylis Vahl (Cyperaceae) 87
Meiosis, in Elymus 51, 57, 415, 436
Meristem: branch, of Thalassia testudinum 43; of leaf of Ceratopteris 299
Millener, L. H., New sectioning razors for old: a technique for maintaining a fine cutting edge indefinitely 394
Milne, Robert G., Pseudocrystalline bodies in the chloroplasts of isolated protoplasts and of incubated leaf discs 401
Model, stochastic, for cambial activity 410
Monocotyledon, stem vascular system 141
Morphactin, effect on stem cuttings of Salix tetrasperma 361
Morphogenesis: of transformations of flower parts in Triticum aestivum 78; in Marchantia polymorpha 177; of flower organs of Nigella damascena and Lycopersicon esculentum 184; Ralph H. Wetmore's contributions 199; of excised leaf meristems of Ceratopteris 199; of excised leaf primordial apices of Osmunda cinnamomea 331; of excised leaf primordia of Osmunda cinnamomea 421
Morphology: of foliar nectaries in Pithecellobium macradenium 38; of transformations of flower parts in Triticum aestivum 78; gynodioecism in Hirschfeldia incana 127; of reproductive organs in Lupinus nanus 155; of rhizome and aerial shoot apices in the Gramineae 165; of flower and inflorescence in male Myrica esculenta 206; of adventitious roots in Convolvulus sepium 325; of excised leaf primordial apices in Osmunda cinnamomea 331; of Botrychium dissectum gametophytes in culture 336; of grass gynoecium 376; of excised leaf primordia of Osmunda cinnamomea 421
Mosses, tree base, cesium-137 accumulation 107
Munroe, M. H., Apical dominance in Marchantia: correlative inhibition of neighbor lobe growth 177
Murdy, W. H., The evolutionary origin of Talinum teretifolium Pursh 405
Myrica esculenta, male flower and inflorescence 206
Myricaceae, male flower and inflorescence 206

N

NAA, effect on stem and petiole abscission in Phaseolus vulgaris explants 292
Nanda, K. K., Effect of morphactin on rooting and sprouting of buds on stem cuttings of Salix tetrasperma 361
Nectaries, foliar, of Pithecellobium macradenium 38
Nicotiana rustica, pollinated pistils in vitro 350
Nicotiana tabacum, pseudocrystalline bodies 401
Nigella damascena, flower organs 184
Nitrogen, effect on flowering of Thlaspi arvense 454
Nodulation, on tropical legumes 35
Nucleic acids, in orchard grass during temperature acclimation 120

O

Oat, *see* Avena sativa
Olea europaea, flowering response to growth regulators 387
O'Leary, James W., The effect of light intensity on stomate number and density of Phaseolus vulgaris L. leaves 132
Olive, *see* Olea europaea
Ontogeny, *see* development
Orchard grass, *see* Dactylis glomerata
Orientation, in Acacia farnesiana stems 368
Oryza sativa, silicon and other elements in leaf epidermis 66
Osmunda cinnamomea: excised leaf primordial apices 331; excised leaf apices 421
Ovary, transformation from stamens and to inflorescences in Triticum aestivum 78

P

Partanen, Carl R., Comparison of gametophytic callus and tumor tissues of Pteridium aquilinum 287
Parthenocissus, phloem 64
Peterson, R. L., Effect of two gibberellins on species of the rosette plant Hieracium 190
Phaseolus vulgaris: effect of light intensity on stomates 132; stem abscission in explants 292
Phleum pratense, effect of IAA on root growth 224
Phloem parenchyma, occurrence of P-protein bodies 64
Photoperiod: and transformation of flower parts in Triticum aestivum 78; and effect of alar on boron-deficient Tagetes erecta 135; and growth of Hieracium treated with gibberellin 190; effect on stem orientation in Acacia farnesiana 368; and flowering of Thlaspi arvense 454
Phylogeny, relationship between monocots and dicots 141
Picea engelmanii, krummholz 392
Pinus elliottii Engelm., intraspecific root grafting 26
Pinus resinosa, cambial activity 410
Pistil; growth in Gossypium 7; pollinated, of Nicotiana rustica in vitro 350
Pithecellobium macradenium, foliar nectaries 38
Polarity, effects on sweet potato explants 254
Pollen tube, growth in Gossypium 7
Pollination, in Gossypium 7
P-protein bodies, in phloem parenchyma of Parthenocissus and Vitis 64
Primary endosperm nucleus, of Gossypium 7
Primary production, in Costa Rican savanna 395
Pseudocrystalline bodies, in chloroplasts of Nicotiana tabacum 401
Pteridium aquilinum, gametophytic callus and tumor tissues 287
Pundir, N. S., Experimental embryology of Gossypium arboreum L. and G. hirsutum L. and their reciprocal crosses 7

R

Radionuclide, cesium-137 accumulation by cryptogams 107
Rangaswamy, N. S., In vitro development of the pollinated pistils of Nicotiana rustica L. 350
Rao, P. S., In vitro development of the pollinated pistils of Nicotiana rustica L. 350
Razors, sectioning 394
Rhizobium, and root nodules of tropical legumes 35
Rhizome: of Thalassia testudinum 43; apex in grasses 165
Rice, *see* Oryza sativa
Rier, John P., Jr., Cellular transformation in plant tissue by RNA from Agrobacterium tumefaciens 318
Riopel, James L., In vitro studies of adventitious rooting in Convolvulus sepium L. 325

RNA, from Agrobacterium tumefaciens, and cellular transformation 318
Rodríguez, Rita L., New records of tropical legume nodulation 35
Root: growth in relation to calcium 29; effect of trifluralin on cotton and safflower roots 96; effects of IAA on growth of Phleum pratense roots 224; initiation in treated sweet potato explants 254; production in Convolvulus sepium explants 325; removal, effect on Chenopodium rubrum 341; development on stem cuttings of Salix tetrasperma 361
Root grafting, in slash pine 26
Root hair, growth in relation to calcium 29
Rosette, *see* Hieracium

S

Safflower, *see* Carthamus tinctoris
Salinity studies, on Lycopersicon esculentum 263
Salix tetrasperma, effect of morphactin on stem cuttings 361
Salt cedar, *see* Tamarix pentandra
Sass, John E., A tribute by Graeme P. Berlyn 85
Savanna, standing crops and primary production 395
Sawhney, Vipen K., Initiation and early growth of flower organs of Nigella and Lycopersicon: insights from allometry 184
Schultz, Robert P., Intraspecific root grafting in slash pine 26
Season, and flowering of Thlaspi arvense 454
Secondary vascular tissue, in monocot stems 141
Secondary xylem, of the Violaceae 230
Seed, development in Gossypium 7
Seed coat, of Gossypium 7
Seed fiber, development in Gossypium 7
Sharma, O. P., Systematic anatomy of Fimbristylis Vahl (Cyperaceae) 87
Sharman, B. C., Structure of the apices of rhizomes and aerial shoots of some temperate range grasses 165
Sharp, W. R., Root and shoot initiation in sweet potato explants as related to polarity and nutrient media variations 254
Shoot: apex in grasses 165; apex of Hieracium 190; initiation in treated sweet potato explants 254; apex, and vascular differentiation in Geum chiloense 276
Silicon, in rice leaf epidermis 66
Skok, John, Determination of boron in water, nutrient media, and Chlorella cells 103
Slash pine, *see* Pinus elliottii Engelm.
Sodium, retention, with freeze-substitution additives 263
Soni, Sarvjit L., Electron microprobe analysis of the distribution of silicon and other elements in rice leaf epidermis 66
Spurr, Arthur R., Freeze-substitution additives for sodium and calcium retention in cells studied by X-ray analytical electron microscopy 263
Stamen, transformation to ovaries in Triticum aestivum 78
Standing crops, in Costa Rican savanna 395
Steeves, T. A., An experimental study of vascular differentiation in Geum chiloense Balbis 276
Stem abscission, in Phaseolus vulgaris explants 292
Stem elongation: in treated Hieracium 190; in internodes of Helianthus annuus 270
Stem orientation, in two Acacia farnesiana populations 368
Stomate, effect of light intensity on stomates in Phaseolus vulgaris leaves 132
Struckmeyer, B. Esther, Effect of alar on boron-deficient Tagetes erecta L. 135
Sucrose: and vascular differentiation 276, 311; effects on excised leaf primordial apices of Osmunda cinnamomea 331; effects on excised leaf primordia of Osmunda cinnamomea 421
Swain, Lenard W., Cellular transformation in plant tissue by RNA from Agrobacterium tumefaciens 318
Sweet potato, *see* Ipomoea batatas
Syngamy, in Gossypium crosses 7
Systematics: of Elymus 51; of Fimbristylis 87; of the Violaceae 230; of the Linaceae 242; of Talinum 405

T

Tagetes erecta, boron deficient, effect of alar 135
Talinum teretifolium, evolutionary origin 405
Tamarix pentandra, water stress 73
Tanaka, Yasuomi, Root and root hair growth in relation to supply and internal mobility of calcium 29
Taylor, Fred H., The secondary xylem of the Violaceae: a comparative study 230
Temperature, effects on stem orientation in Acacia farnesiana 368
Temperature acclimation, in orchard grass 120
Thalassia testudinum, vegetative branching 43
Thimann, Kenneth V., On the beginnings of modern studies of plant morphogenesis: a tribute to Ralph H. Wetmore's contributions 199
Thlaspi arvense, flowering 454
Time-relation studies, on embryology of Gossypium 7
Tobacco, *see* Nicotiana tabacum
Tomlinson, P. B., Vegetative branching in Thalassia testudinum (Hydrocharitaceae)—a correction 43; The vascular system of monocotyledonous stems 141
Torrey, John G., On the beginnings of modern studies of plant morphogenesis: a tribute to Ralph H. Wetmore's contributions 199
Toy, Janet Posey, Metabolic pathways in acid production by the yeast Hansenula anomala 1
Transformation, of flower parts in Triticum aestivum 78
Trees: root grafting in slash pine 26; adaptation to wet habitats, cambium permeability 304; aeration 443
Trifluralin, effect on cotton and safflower roots 96
Triticum aestivum: transformation of flower parts 78; histogenesis of carpel 376
Tschabold, Edward E., Xylem studies in the Linaceae 242
Tumor, of Pteridium aquilinum gametophyte 287

V

Vascular tissue: of foliar nectaries of Pithecellobium macradenium 38; P-protein bodies in phloem parenchyma 64; vascular bundles of Fimbristylis 87; vascular bundles in boron-deficient Tagetes erecta treated with alar 135; vascular system of monocot stems 141; of flower and inflorescence in male Myrica esculenta 206; vessels in the Cyperaceae 214; secondary xylem of the Violaceae 230; xylem in the Linaceae 242; differentiation in Geum chiloense 276; and gas exchange in trees 304; differentiation in fern gametophytes 311; vascularization of Triticum aestivum carpel 376; stochastic model for cambial activity 410; and aeration in trees 443
Vegetative branching, in Thalassia testudinum 43
Vessels, in the Cyperaceae 214
Violaceae, secondary xylem 230
Vitis, phloem 64

W

Water stress: in salt cedar 73; in krummholz 392
Webster, Barbara D., Stem abscission in Phaseolus vulgaris explants 292

Wells, William A., In vitro studies of adventitious rooting in Convolvulus sepium L. 325
West, W. C., Root and shoot initiation in sweet potato explants as related to polarity and nutrient media variations 254
Wetmore, Ralph H., contributions to plant morphogenesis 199; Aeration in trees 443
Whittier, Dean P., Gametophytes of Botrychium dissectum as grown in sterile culture 336
Wilkinson, Robert E., Water stress in salt cedar 73
Williams, B. W., Root and shoot initiation in sweet potato explants as related to polarity and nutrient media variations 254
Williams, J. O., Structure of the apices of rhizomes and aerial shoots of some temperate range grasses 165
Wilson, B. F., A stochastic model for cambial activity 410
Woodbury, R., New records of tropical legume nodulation 35
Woods, F. W., Root and root hair growth in relation to supply and internal mobility of calcium 29
Woody stems, of Acacia farnesiana 368

X

X-ray analytical electron microscopy, in freeze-substitution studies 263
Xylem: secondary, of the Violaceae 230; in the Linaceae 242

Y

Yeast, *see* Hansenula anomala
Yeung, Edward C., Effect of two gibberellins on species of the rosette plant Hieracium 190

Z

Zimmermann, Martin H., The vascular system of monocotyledonous stems 141